AUTHOR INDEX

Volume 63 • 1993

Abe, A. and Karaki, H.
Vasodilation by db-cAMP and okadaic acid 129
Abe, H. *See* Zhenjiu, W.
Adachi, H. *See* Marumo, T.
Adachi, N. *See* Oishi, R.
Akahane, M. *See* Yamazaki, Yoshinobu
Akai, T. *See* Mizokawa, T.
Amano, M., Hasegawa, M., Hasegawa, T. and Nabeshima, T.
Learning and memory in ischemic gerbils 469
Arai, K. *See* Matsuura, A.
Araki, T. *See* Kinbara, S.
Asakura, R. *See* Matsuura, A.
Asakura, W., Matsumoto, K., Ohta, H. and Watanabe, H.
Deprivation and antidepressants 455
Ashikawa, N. *See* Matsuura, A.
Ashizawa, N. *See* Matsuura, A.
Awaji, T. *See* Zhenjiu, W.

Chihara, S. *See* Kobayashi, K.

Endoh, M., Norota, I., Takanashi, M. and Kasai, H.
Protein kinase C and cardiac inotropy 17
Esumi, H. *See* Marumo, T.
Etoh, Y., Miyazaki, M., Saitoh, Hiroshi and Toda, N.
Human renin inhibitor, KRI-1314 109

Fujihara, A. *See* Yuki, H.
Fujii, T. *See* Inazu, N.
Fukami, K., Itagaki, M., Komori, S. and Ohashi, H.
Ca^{2+} release-mediated contractions 171
Fukata, Y. *See* Harada, K.
Fukata, Y., Kaneta, S., Okada, Y., Yokoyama, T., Jinno, Y., Fukushima, H. and Ogawa, N.
KRN2391 and coronary vascular bed 305
Fukuda, T. *See* Haga, K.
Fukushima, H. *See* Fukata, Y.
—— *See* Harada, K.

Goto, T. *See* Kanashiro, M.
Gushima, H. *See* Kawasaki, T.

Haga, K., Inaba, K., Shoji, H., Morimoto, Y., Fukuda, T. and Setoguchi, M.
Antiemetic effects of Y-25130 377
Hamada, K., Nakajima, Y., Nirei, H., Nakajima, C., Nagashima, A., Sogabe, K., Notsu, Y. and Ono, T.
Antihypertensive effect and FK 739 335
Harada, K., Fukata, Y., Miwa, A., Kaneta, S., Fukushima, H. and Ogawa, N.
Antianginal effect of KRN2391 35
Hasan, S. *See* Mizokawa, T.
Hasegawa, M. *See* Amano, M.
Hasegawa, T. *See* Amano, M.
—— *See* Yamada, K.
Hashimoto, H. *See* Kanda, A.
Hashimoto, K. *See* Zhenjiu, W.
Hashimoto, Y. *See* Ohmi, K.
Hatakeyama, Y., Matsuo, M., Tomoi, M., Mori, J. and Kohsaka, M.
Gastric protection and mediators 251

Higo, K. and Karasawa, A.
Antithrombotic effect of KW-3635 521
Hirayama, Y. *See* Kobayashi, K.
Hiroi, J. *See* Kobayashi, K.
Hirouchi, Y., Naganuma, H., Kawahara, Y., Okada, R., Kamiya, A., Inui, K. and Hori, R.
Effect of NAAs on CER nephrotoxicity 487
Honda, K. *See* Yazawa, H.
—— *See* Yuki, H.
Honma, Y. *See* Yazawa, H.
Hori, R. *See* Hirouchi, Y.
Hoshiko, K. and Morley, J.
Allergic airway hyperreactivity 151
Salbutamol and airway hyperreactivity 159

Ichikawa, S. *See* Kishibayashi, N.
Iida-Kubota, E. *See* Yazawa, H.
Iizuka, K. *See* Yamazaki, Yoshinobu
Imai, T. *See* Kobayashi, K.
Inaba, K. *See* Haga, K.
Inagaki, M. *See* Izumi, J.
Inagaki, N. *See* Nagai, H.
Inatomi, N., Satoh, T., Satoh, H., Itoh, Z. and Ōmura, S.
EM523 on gastrointestinal motility 209
Inazu, N. and Fujii, T.
Testis carbonyl reductase and calcium ion 65
Inoki, R. *See* Yonehara, N.
Inui, K. *See* Hirouchi, Y.
Ishida, R. *See* Ogiku, N.
Ishii, A. *See* Kishibayashi, N.
—— *See* Tomaru, A.
Ishizaki, K. *See* Kinbara, S.
Ishizuka, H. *See* Tanabe, M.
Itagaki, M. *See* Fukami, K.
Ito, H. *See* Yuki, H.
Itoh, Y. *See* Oishi, R.
Itoh, Z. *See* Inatomi, N.
Iwama, T. *See* Nagai, H.
Iwao, H. *See* Yamanaka, S.
Iwata, N. *See* Tanabe, M.
Izumi, J., Inagaki, M., Kiuchi, Y., Matsumoto, M., Yamazaki, Yukako, Morioka, D., Usami, S. and Oguchi, K.
Ischemia and brain monoamines in gerbils 143

Jinkawa, M. *See* Kontani, H.
Jinno, Y. *See* Fukata, Y.

Kaku, S. *See* Kawasaki, T.
Kamato, T. *See* Yuki, H.
Kamiya, A. *See* Hirouchi, Y.
Kanashiro, M., Matsubara, T., Goto, T. and Sakamoto, N.
CLA reduces reperfusion-induced VF 47
Kanda, A. and Hashimoto, H.
Antihypertensive effects of semotiadil 121
Kaneko, T. *See* Tanabe, M.
Kaneta, S. *See* Fukata, Y.
—— *See* Harada, K.
Kaneto, H. *See* Rahman, A.F.M.M.
Karaki, H. *See* Abe, A.
Karasawa, A. *See* Higo, K.

AUTHOR INDEX

Volume 63 • 1993

Abe, A. and Karaki, H.
Vasodilation by db-cAMP and okadaic acid 129
Abe, H. *See* Zhenjiu, W.
Adachi, H. *See* Marumo, T.
Adachi, N. *See* Oishi, R.
Akahane, M. *See* Yamazaki, Yoshinobu
Akai, T. *See* Mizokawa, T.
Amano, M., Hasegawa, M., Hasegawa, T. and Nabeshima, T.
Learning and memory in ischemic gerbils 469
Arai, K. *See* Matsuura, A.
Araki, T. *See* Kinbara, S.
Asakura, R. *See* Matsuura, A.
Asakura, W., Matsumoto, K., Ohta, H. and Watanabe, H.
Deprivation and antidepressants 455
Ashikawa, N. *See* Matsuura, A.
Ashizawa, N. *See* Matsuura, A.
Awaji, T. *See* Zhenjiu, W.

Chihara, S. *See* Kobayashi, K.

Endoh, M., Norota, I., Takanashi, M. and Kasai, H.
Protein kinase C and cardiac inotropy 17
Esumi, H. *See* Marumo, T.
Etoh, Y., Miyazaki, M., Saitoh, Hiroshi and Toda, N.
Human renin inhibitor, KRI-1314 109

Fujihara, A. *See* Yuki, H.
Fujii, T. *See* Inazu, N.
Fukami, K., Itagaki, M., Komori, S. and Ohashi, H.
Ca^{2+} release-mediated contractions 171
Fukata, Y. *See* Harada, K.
Fukata, Y., Kaneta, S., Okada, Y., Yokoyama, T., Jinno, Y., Fukushima, H. and Ogawa, N.
KRN2391 and coronary vascular bed 305
Fukuda, T. *See* Haga, K.
Fukushima, H. *See* Fukata, Y.
—— *See* Harada, K.

Goto, T. *See* Kanashiro, M.
Gushima, H. *See* Kawasaki, T.

Haga, K., Inaba, K., Shoji, H., Morimoto, Y., Fukuda, T. and Setoguchi, M.
Antiemetic effects of Y-25130 377
Hamada, K., Nakajima, Y., Nirei, H., Nakajima, C., Nagashima, A., Sogabe, K., Notsu, Y. and Ono, T.
Antihypertensive effect and FK 739 335
Harada, K., Fukata, Y., Miwa, A., Kaneta, S., Fukushima, H. and Ogawa, N.
Antianginal effect of KRN2391 35
Hasan, S. *See* Mizokawa, T.
Hasegawa, M. *See* Amano, M.
Hasegawa, T. *See* Amano, M.
—— *See* Yamada, K.
Hashimoto, H. *See* Kanda, A.
Hashimoto, K. *See* Zhenjiu, W.
Hashimoto, Y. *See* Ohmi, K.
Hatakeyama, Y., Matsuo, M., Tomoi, M., Mori, J. and Kohsaka, M.
Gastric protection and mediators 251

Higo, K. and Karasawa, A.
Antithrombotic effect of KW-3635 521
Hirayama, Y. *See* Kobayashi, K.
Hiroi, J. *See* Kobayashi, K.
Hirouchi, Y., Naganuma, H., Kawahara, Y., Okada, R., Kamiya, A., Inui, K. and Hori, R.
Effect of NAAs on CER nephrotoxicity 487
Honda, K. *See* Yazawa, H.
—— *See* Yuki, H.
Honma, Y. *See* Yazawa, H.
Hori, R. *See* Hirouchi, Y.
Hoshiko, K. and Morley, J.
Allergic airway hyperreactivity 151
Salbutamol and airway hyperreactivity 159

Ichikawa, S. *See* Kishibayashi, N.
Iida-Kubota, E. *See* Yazawa, H.
Iizuka, K. *See* Yamazaki, Yoshinobu
Imai, T. *See* Kobayashi, K.
Inaba, K. *See* Haga, K.
Inagaki, M. *See* Izumi, J.
Inagaki, N. *See* Nagai, H.
Inatomi, N., Satoh, T., Satoh, H., Itoh, Z. and Ōmura, S.
EM523 on gastrointestinal motility 209
Inazu, N. and Fujii, T.
Testis carbonyl reductase and calcium ion 65
Inoki, R. *See* Yonehara, N.
Inui, K. *See* Hirouchi, Y.
Ishida, R. *See* Ogiku, N.
Ishii, A. *See* Kishibayashi, N.
—— *See* Tomaru, A.
Ishizaki, K. *See* Kinbara, S.
Ishizuka, H. *See* Tanabe, M.
Itagaki, M. *See* Fukami, K.
Ito, H. *See* Yuki, H.
Itoh, Y. *See* Oishi, R.
Itoh, Z. *See* Inatomi, N.
Iwama, T. *See* Nagai, H.
Iwao, H. *See* Yamanaka, S.
Iwata, N. *See* Tanabe, M.
Izumi, J., Inagaki, M., Kiuchi, Y., Matsumoto, M., Yamazaki, Yukako, Morioka, D., Usami, S. and Oguchi, K.
Ischemia and brain monoamines in gerbils 143

Jinkawa, M. *See* Kontani, H.
Jinno, Y. *See* Fukata, Y.

Kaku, S. *See* Kawasaki, T.
Kamato, T. *See* Yuki, H.
Kamiya, A. *See* Hirouchi, Y.
Kanashiro, M., Matsubara, T., Goto, T. and Sakamoto, N.
CLA reduces reperfusion-induced VF 47
Kanda, A. and Hashimoto, H.
Antihypertensive effects of semotiadil 121
Kaneko, T. *See* Tanabe, M.
Kaneta, S. *See* Fukata, Y.
—— *See* Harada, K.
Kaneto, H. *See* Rahman, A.F.M.M.
Karaki, H. *See* Abe, A.
Karasawa, A. *See* Higo, K.

Karasawa, A. *See* Kawakage, M.
—— *See* Kishibayashi, N.
—— *See* Kusaka, H.
—— *See* Mizumoto, H.
—— *See* Mori, T.
—— *See* Tomaru, A.
Kasai, H. *See* Endoh, M.
Kato, H. *See* Kurihara, J.
Kato, R. *See* Marumo, T.
Kato, Y. *See* Shinkawa, T.
Katoh, M. *See* Kawasaki, T.
Katoh, S. *See* Kawasaki, T.
Kawahara, Y. *See* Hirouchi, Y.
Kawai, C. *See* Kawasaki, T.
Kawakage, M., Mizumoto, H., Nukui, E., Sato, S. and Karasawa, A.
TXRA in murine lupus nephritis 433
Kawamura, I., Mizota, T., Lacey, E., Tanaka, Y., Manda, T., Shimomura, K. and Kohsaka, M.
Droloxifene and human breast tumors 27
Kawamura, S. *See* Kawasaki, T.
Kawanishi, M. *See* Ohata, H.
Kawanishi, T. *See* Ohata, H.
Kawasaki, H. *See* Nakamura, S.
Kawasaki, T., Katoh, M., Kaku, S., Gushima, H., Takenaka, T., Yui, Y. and Kawai, C.
Intracoronary thrombolysis with YM866 319
Thrombolytic activity of YM866 9
Kawasaki, T., Kawamura, S., Katoh, S. and Takenaka, T.
Thrombosis model and YM866 135
Kim, S. *See* Yamanaka, S.
Kimura, I. *See* Kobayashi, S.
Kimura, M. *See* Kobayashi, S.
Kinbara, S., Ishizaki, K., Takeuchi, Y., Miyazawa, N. and Araki, T.
Hepatoprotective effect of UR-906 125
Kishi, Seiko *See* Yamaguchi, Masayoshi
Kishi, Shinichi *See* Kobayashi, K.
Kishibayashi, N. *See* Tomaru, A.
Kishibayashi, N., Ichikawa, S., Yokoyama, T., Ishii, A. and Karasawa, A.
Colonic function of KF18259 495
Kishioka, S. *See* Miyamoto, Y.
Kitagaki, K. *See* Nagai, H.
Kitazawa, M. *See* Yamazaki, Yoshinobu
Kiuchi, Y. *See* Izumi, J.
Kobayashi, F. *See* Matsuura, A.
Kobayashi, K., Hiroi, J., Kishi, Shinichi, Sawase, K., Hirayama, Y., Chihara, S., Imai, T., Shigi, Y., Shimomura, K. and Kohsaka, M.
Antiallergic effects of quinotolast 73
Kobayashi, M. *See* Yamazaki, Yoshinobu
Kobayashi, S., Miura, Y., Naitoh, T., Kimura, I. and Kimura, M.
Anti-competence of cnidium phthalides 353
Koda, A. *See* Nagai, H.
Kohsaka, M. *See* Hatakeyama, Y.
—— *See* Kawamura, I.
—— *See* Kobayashi, K.
Kokubu, N. *See* Satoh, M.
Komori, S. *See* Fukami, K.
Kontani, H., Jinkawa, M. and Sakai, T.
Levcromakalim on rat urinary tract 503
Kubota, K. *See* Matsuoka, Y.
Kurashina, Y. *See* Yamazaki, Yoshinobu
Kurihara, J., Tamaoki, S. and Kato, H.
Baroreflex modulation and cerebral ischemia 227
Kusaka, H. and Karasawa, A.
Adenosine A_1-antagonist and tolerance 513

Lacey, E. *See* Kawamura, I.

Manda, T. *See* Kawamura, I.
Maniwa, T. *See* Qu, Y.-L.
Marumo, T., Nakaki, T., Adachi, H., Esumi, H., Suzuki, H., Saruta, T. and Kato, R.
Endothelial NO synthase mRNA 327
Marumo, T., Nakaki, T., Nagata, Kiyoshi, Miyata, M., Adachi, H., Esumi, H., Suzuki, H., Saruta, T. and Kato, R.
Dexamethasone inhibits NO synthase mRNA induction 361
Maruyama, T. *See* Tanabe, M.
Masukawa, T. and Nakanishi, K.
Hypoxia-induced lethality 279
Matsubara, T. *See* Kanashiro, M.
Matsuda, T. *See* Tsushima, H.
Matsui, S. *See* Tojyo, Y.
Matsuki, N. *See* Nagata, Koichi
Matsumoto, K. *See* Asakura, W.
Matsumoto, M. *See* Izumi, J.
Matsumoto, Y. *See* Tojyo, Y.
Matsuo, M. *See* Hatakeyama, Y.
Matsuoka, Y., Sugioka, T., Terawaki, Y., Uruno, T. and Kubota, K.
Antinociception by phenylethylamines 101
Matsuura, A., Okumura, H., Asakura, R., Ashizawa, N., Takahashi, Mayumi, Kobayashi, F., Ashikawa, N. and Arai, K.
Inhibition of ECE by aspergillomarasmines 187
Miura, K. *See* Yamanaka, S.
Miura, Y. *See* Kobayashi, S.
Miwa, A. *See* Harada, K.
Miyagishi, A. *See* Qu, Y.-L.
Miyamoto, Y., Morita, N., Nakamura, N., Yamanishi, T., Kishioka, S. and Yamamoto, H.
Effect of naloxone morphine concentration 235
Miyata, K. *See* Yuki, H.
Miyata, M. *See* Marumo, T.
Miyazaki, M. *See* Etoh, Y.
Miyazawa, N. *See* Kinbara, S.
Mizokawa, T., Akai, T., Nakada, Y., Yamaguchi, Motonori, Nakagawa, H., Hasan, S., Rettig, K.-J. and Wachtel, H.
A new anti-hyperprolactinemic agent 269
Mizota, M. *See* Shinkawa, T.
Mizota, T. *See* Kawamura, I.
Mizumoto, H. *See* Kawakage, M.
Mizumoto, H. and Karasawa, A.
Antidiuresis of adenosine A_1-agonist 257
Momose, K. *See* Ohata, H.
Mori, J. *See* Hatakeyama, Y.
Mori, M. *See* Tsushima, H.
Mori, T., Moriyama, T. and Karasawa, A.
Adenosine A_1-receptor in the heart 265
Morimoto, Y. *See* Haga, K.
Morioka, D. *See* Izumi, J.
Morita, N. *See* Miyamoto, Y.
Morita, S. *See* Yamada, K.
Moriyama, T. *See* Mori, T.
Morley, J. *See* Hoshiko, K.
Motomura, S. *See* Zhenjiu, W.

Nabeshima, T. *See* Amano, M.
—— *See* Yamada, K.
Nagai, H., Sakurai, T., Iwama, T., Yamaguchi, S., Kitagaki, K., Inagaki, N. and Koda, A.

Anti-allergic action of MKS-492 405
Nagano, M. *See* Tanabe, M.
Naganuma, H. *See* Hirouchi, Y.
Nagashima, A. *See* Hamada, K.
Nagata, Kiyoshi *See* Marumo, T.
Nagata, Koichi, Saito, Hiroshi and Matsuki, N.
Purinergic effects in suncus ileum 415
Nagatomo, T. *See* Qu, Y.-L.
Naitoh, T. *See* Kobayashi, S.
Nakada, Y. *See* Mizokawa, T.
Nakagawa, H. *See* Mizokawa, T.
Nakajima, C. *See* Hamada, K.
Nakajima, Y. *See* Hamada, K.
Nakaki, T. *See* Marumo, T.
Nakamura, N. *See* Miyamoto, Y.
Nakamura, S., Kawasaki, H. and Takasaki, K.
Brain vasopressin and clonidine 447
Nakanishi, K. *See* Masukawa, T.
Narita, M. *See* Takeuchi, K.
Negita, S. *See* Tsuru, H.
Nirei, H. *See* Hamada, K.
Nishida, A. *See* Yuki, H.
Nishio, A. *See* Obi, T.
Nonomura, Y. *See* Ohmi, K.
Norota, I. *See* Endoh, M.
Notsu, Y. *See* Hamada, K.
Nukui, E. *See* Kawakage, M.

Obi, T., Suzuki, F. and Nishio, A.
L-Nitro-arginine insensitive relaxation 391
Ogawa, N. *See* Fukata, Y.
—— *See* Harada, K.
Ogiku, N., Sumikawa, H. and Ishida, R.
Imidapril on sympathetic nervous system 295
Oguchi, K. *See* Izumi, J.
Ohashi, H. *See* Fukami, K.
Ohata, H., Kawanishi, T., Kawanishi, M., Uneyama, C., Takahashi, Michihito and Momose, K.
Spontaneous $[Ca^{2+}]_i$ oscillation 83
Ohmi, K., Yamashita, S., Hashimoto, Y. and Nonomura, Y.
Function of giant endothelial cells 195
Ohta, H. *See* Asakura, W.
Ohuchi, T. *See* Takeuchi, K.
Oishi, R., Itoh, Y., Adachi, N. and Saeki, K.
MCI-225 and brain monoamine metabolism 261
Okabe, S. *See* Takeuchi, K.
Okada, R. *See* Hirouchi, Y.
Okada, Y. *See* Fukata, Y.
Okumura, H. *See* Matsuura, A.
Ōmura, S. *See* Inatomi, N.
Ono, T. *See* Hamada, K.

Qu, Y.-L., Sugiyama, K., Nagatomo, T., Maniwa, T. and Miyagishi, A.
Ca^{2+} antagonism of SM-6586 165

Rahman, A.F.M.M., Takahashi, Masakatsu and Kaneto, H.
Nociception modifying morphine tolerance 59
Rettig, K.-J. *See* Mizokawa, T.

Saeki, K. *See* Oishi, R.
Saito, Hiroshi *See* Nagata, Koichi
Saitoh, Hiroshi *See* Etoh, Y.
Sakai, J. *See* Tanabe, M.
Sakai, T. *See* Kontani, H.
Sakamoto, N. *See* Kanashiro, M.
Sakitama, K.
Muscle relaxants on flexor reflex 369
Sakurai, T. *See* Nagai, H.
Saruta, T. *See* Marumo, T.
Sasa, M. *See* Tsuru, H.
Sasahara, K. *See* Tanabe, M.
Sato, S. *See* Kawakage, M.
Satoh, H. *See* Inatomi, N.
Satoh, M., Kokubu, N. and Takayanagi, I.
GTPγ-S and chloroethylclonidine 1
Satoh, T. *See* Inatomi, N.
Sawase, K. *See* Kobayashi, K.
Setoguchi, M. *See* Haga, K.
Shigi, Y. *See* Kobayashi, K.
Shimomura, K. *See* Kawamura, I.
—— *See* Kobayashi, K.
Shinkawa, T., Kato, Y., Tsuchiya, N., Yamasaki, F., Uemura, A. and Mizota, M.
Beneficial effect of M17055 on SHR 241
Shoji, H. *See* Haga, K.
Sogabe, K. *See* Hamada, K.
Sugioka, T. *See* Matsuoka, Y.
Sugiyama, K. *See* Qu, Y.-L.
Sumikawa, H. *See* Ogiku, N.
Suzuki, F. *See* Obi, T.
Suzuki, H. *See* Marumo, T.

Takahashi, Masakatsu *See* Rahman, A.F.M.M.
Takahashi, Mayumi *See* Matsuura, A.
Takahashi, Michihito *See* Ohata, H.
Takanashi, M. *See* Endoh, M.
Takasaki, K. *See* Nakamura, S.
Takayanagi, I. *See* Satoh, M.
Takeda, M. *See* Yuki, H.
Takenaka, T. *See* Kawasaki, T.
Takeuchi, K., Ohuchi, T., Narita, M. and Okabe, S.
Sensory neurons on gastric mucosal integrity 479
Takeuchi, Y. *See* Kinbara, S.
Tamaoki, S. *See* Kurihara, J.
Tanabe, M., Ishizuka, H., Maruyama, T., Kaneko, T., Tonohiro, T., Sakai, J., Nagano, M., Sasahara, K. and Iwata, N.
Muscle relaxant action of CS-722 385
Tanaka, Y. *See* Kawamura, I.
Tang, F.-D. *See* Yonehara, N.
Tanimura, A. *See* Tojyo, Y.
Teranishi, Y. *See* Tsuru, H.
Teraoka, T. *See* Yamada, K.
Terawaki, Y. *See* Matsuoka, Y.
Toda, N. *See* Etoh, Y.
Tojyo, Y., Tanimura, A., Matsui, S. and Matsumoto, Y.
K^+ release and $[Ca^{2+}]_i$ in parotid acini 439
Tomaru, A., Ishii, A., Kishibayashi, N. and Karasawa, A.
Giant migrating contractions in rats 525
Tomoi, M. *See* Hatakeyama, Y.
Tonohiro, T. *See* Tanabe, M.
Tsuchiya, N. *See* Shinkawa, T.
Tsuru, H., Negita, S., Teranishi, Y. and Sasa, M.
Transmitter release in decentralized artery 285
Tsushima, H., Mori, M. and Matsuda, T.
Effects of DADL in the SON and PVN 181
Antidiureses of DYN in the SON and PVN 461

Uemura, A. *See* Shinkawa, T.
Uneyama, C. *See* Ohata, H.
Uruno, T. *See* Matsuoka, Y.

Usami, S. *See* Izumi, J.

Wachtel, H. *See* Mizokawa, T.
Watanabe, H. *See* Asakura, W.

Yamada, K., Teraoka, T., Morita, S., Hasegawa, T. and Nabeshima, T.
Calcium channels in the brain 423
Yamaguchi, Masayoshi and Kishi, Seiko
Effect of AHZ on bone loss 203
Yamaguchi, Motonori *See* Mizokawa, T.
Yamaguchi, S. *See* Nagai, H.
Yamamoto, H. *See* Miyamoto, Y.
Yamanaka, S., Iwao, H., Yukimura, T., Kim, S. and Miura, K.
Effect of N^G-nitro-L-arginine on EVS 41
Yamanishi, T. *See* Miyamoto, Y.
Yamasaki, F. *See* Shinkawa, T.
Yamashita, S. *See* Ohmi, K.
Yamazaki, Yoshinobu, Akahane, M., Kobayashi, M., Kitazawa, M., Kurashina, Y. and Iizuka, K.
A new CCK-A-receptor antagonist, KSG-504 219
Yamazaki, Yukako *See* Izumi, J.
Yazawa, H., Iida-Kubota, E., Honma, Y. and Honda, K.
Endothelin receptor in HASMCs 313
Yokoyama, T. *See* Fukata, Y.
—— *See* Kishibayashi, N.
Yonehara, N., Tang, F.-D. and Inoki, R.
Morphine and cutaneous blood flow 53
Yui, Y. *See* Kawasaki, T.
Yuki, H., Kamato, T., Nishida, A., Fujihara, A., Takeda, M. and Miyata, K.
YM-14471, a new H_2-receptor antagonist 345
Yuki, H., Miyata, K., Kamato, T., Nishida, A., Ito, H., Takeda, M. and Honda, K.
Histamine H_2-receptor and wheal response 93
Yukimura, T. *See* Yamanaka, S.

Zhenjiu, W., Awaji, T., Abe, H., Motomura, S. and Hashimoto, K.
OPC-18790 on ventricular tachycardia 399

SUBJECT INDEX

Volume 63 • 1993

N-Acyl amino acid (NAA) 487
Adaptive cytoprotection 251
Adenosine A_1-receptor antagonist 257, 265, 513
α_1-Adrenoceptor 17
α_2-Adrenoceptor 101, 227
Afferent fiber (group II) 369
Aging 65
β-Alanyl-L-histidinato zinc 203
Ambient temperature 279
Aminophylline 405
Amphetamine 101
Angina pectoris 35
Angiotensin II-receptor antagonist 335
Animal model 399
Antiallergics 73
Antidiuretic effect 181, 461
Antidromic stimulation 53
Antiemesis 377
Antiestrogen drug 27
Anti-hyperprolactinemic agent 269
Antihypertensive effect 121
Antihypertensive therapy 241
Antinociception 101
Antinociceptive tolerance 59
Antisympathetic effect 295
Antitumor 27
Aorta (human) 313
Arginine 41, 251, 391
Aspergillomarasmine 187
Atropine 415

Baroreflex (vagal) 227
Basolateral membrane 487
N-Benzoyl-β-alanine (NBBA) 487
Big endothelin-1 187
Binding (in vivo) 235
Bone metabolism 203
Bromocriptin 269
Bronchial asthma 405
Bronchoconstriction 151
Bronchodilator 405

Ca^{2+} antagonistic effect 165
Ca^{2+} channel 165
Ca^{2+} influx 423
Ca^{2+} release 171
Calcium channel (N-type, L-type) 423
Calcium ion 65
Calcium oscillation 83
Capsaicin-sensitive sensory nerve 479
Carbachol 171
Carbonyl reductase 65
Cardiovascular hypertrophy 241
CCK-A-receptor antagonist 219
Central pressor response 447
Centrally acting muscle relaxant 369, 385
Cephaloridine (CER) 487
Chloroethylclonidine 1
Cholestasis 125
Chronic decentralization 285
Chronic pain 59
Cimetidine 345
Cisplatin 377
Clomipramine 455
Clonidine 447
Cnidium rhizome-derived phthalide 353
Colon (rat) 525
Colonic propulsion 495
ω-Conotoxin GVIA 423
Coronary artery (canine) 305
Coronary artery (bovine) 391
Coronary vasodilator 35
Cromakalim 305
CS-722 ((*R*)-4-chloro-2-(2-hydroxy-3-morpholinopropyl)-5-phenyl-4-isoxazolin-3-one hydrochloride) 385
Cutaneous blood flow 53
Cyclic AMP 129
Cypridina luciferin analog 47
Cystometrogram 503
Cytosolic Ca^{2+} concentration 439

Decerebrate rigidity 385
Defecation 495
Desipramine 455
Dexamethasone 327, 361
Diethyldithiocarbamate 279
Disulfiram 279
Diuretic effect 257, 513
Dopamine D_2-agonist 269
Doxorubicin/cyclophosphamide 377
Droloxifene 27
Dynorphin 461

Ear artery (rabbit) 285
ECG-change 35
EDTA 187
Effective vascular stiffness 41
Electrophysiology 265
EM523 (de(*N*-methyl)-*N*-ethyl-8,9-anhydroerythromycin A 6,9-hemiacetal) 209
Emetic action 269
Enalapril 295
Endothelial cell 195
Endothelin 313
Endothelin converting enzyme 187
Endothelin receptor 313
Endothelin-1 187
Endothelium-dependent relaxation (bradykinin-induced) 391
D-Ala^2-D-Leu^5-Enkephalin 181
Erythromycin 209
Extracellular noradrenaline concentration 261

Famotidine 345
Femur (rat) 203
FK 739 (2-butyl-3-[{2′-(1*H*-tetrazol-5-yl)-biphenyl-4-yl}methyl]-3*H*-imidazo[4,5-*b*]-pyrdine) 335
Flexor reflex 369
Forced swimming test 455
Free radical scavenger 47

Gallbladder contraction 219
Gastric acid secretion 345
Gastric injury 479
Giant migrating contraction 525
Glibenclamide 305, 503
Glycerol 525
GTPγ-S 1
Guanosine 5′-[γ-thio]triphosphate (GTPγS) 171

Heart (isolated, rat) 47
Histamine 171
Histamine H_2-receptor 93
Histamine H_2-receptor antagonist (novel) 345
Histological examination 135
5-HT_3 receptor 377
5-HT_3-receptor antagonist 495
Hyperlocomotion 469
Hyperreactivity (airway) 151, 159
Hypertension 335
Hypotensive effect 109
Hypoxia-induced lethality 279

Imidapril 295
Imipramine 455
Immunochemistry 65
Indomethacin 415
Interferon-γ 327
Interleukin-1α 361
Ischemia (cerebral) 227, 469
Ischemia (transient forebrain, gerbil) 143
Ischemia/reperfusion injury 47

Japanese monkey 109

K channel opener 35
K^+ release 439
K-252a 195
Kidney 433
KRN2391 (*N*-cyano-*N*′-(2-nitroxyethyl)-3-pyridinecarboximidamide monomethanesulfonate) 35, 305
KSG-504 ((*S*)-arginium (*R*)-4-[*N*-(3-methoxypropyl)-*N*-pentylcarbamoly]-5-(2-naphthylsulfonyl) pentanoate monohydrate) 219
KW-3635 (sodium (*E*)-11-[2-(5,6-dimethyl-1-benzimidazolyl)ethylidene]-6,11-dihydrodibenz[*b*,*e*]oxepine-2-carboxylate monohydrate) 433, 521
KW-3902 (8-(noradamantan-3-yl)-1,3-dipropylxanthine) 257, 265, 513

Learning and memory 469
Levcromakalim 503

Lipid peroxide 47
Lipopolysaccharide 327, 361
Local application 385
Longitudinal muscle cell (cultured) 83
Loop diuretic 241

M17055 (7-chloro-2,3-dihydro-1-(2-methylbenzoyl)-4(1*H*)-quinolinone 4-oxime-*O*-sulfonic acid potassium salt) 241
MCI-225 (4-(2-fluorophenyl)-6-methyl-2-(1-piperazinyl)thieno[2,3-*d*]pyrimidine) 261
Mediator release inhibitor 73
Microdialysis (brain) 143
Micturition 503
Mild irritant 251
MKS-492 (*R*[+]-8-{[1-[3,4-dimethoxyphenyl]-2-hydroxyethyl]amino}-3,7-dihydro-7-[2-methoxyethyl]-1,3-dimethyl-1*H*-purine-2,6-dione) 405
Mongolian gerbil 469
Monoamine metabolism 261
Morphine 53, 59, 235
Motilide 209
Motility 209
Mucosal blood flow 479
Muscarinic-cholinergic receptor 439

NA 0345 17
Naloxone 53, 235
α-Naphthylisothiocyanate (ANIT) 125
Neomycin 423
Nephritis 433
Neuronal death (CA1) 469
Nicorandil 305
Nitric oxide 41, 251, 391
Nitric oxide synthase mRNA 327, 361
L-Nitro-arginine 391
N^G-Nitro-L-arginine 41, 251
Nociceptive stimulant 59
Non-peptide antagonist 219
Noradrenaline 369
Normethanephrine 143

Okadaic acid 129
OPC-18790 ((±)-6-[3-(3,4-dimethoxybenzylamino)-2-hydroxypropoxy]-2(1*H*)-quinolinone) 399
Opiate receptor 235
Orally effective 109
Osteoporosis 203
Ovariectomy 203

Pancreatic secretion 219
Paraventricular nucleus 181, 461
Parotid acini 439
Passive sensitization 151
Patency status 135
Pharmacokinetics 235
Phenol red 27
Phenylethanolamine 101
Phenylethylamine 101
Phorbol 12,13-dibutyrate 17
Phorbol myristate acetate 391
Phosphodiesterase type III inhibitor 405
Platelet activating factor 151
^{3}H-PN200-110 binding 165
Positive inotropic agent 399
Positive inotropic effect 17
Prejunctional supersensitivity 285
Primary culture 353
Prostaglandin 251
Prostaglandin $F_{2\alpha}$ 209
Protein kinase C 439
Protein kinase inhibitor 195
Proximal tubular necrosis 487
Purine nucleotide 415
Purinoceptor 415

Quinotolast 73

Recovery 479
REM sleep deprivation 455
Renal protective effect 513
Renin inhibitor 109

Salbutamol 159
Semotiadil 121
Senkyunolide H 353
Septum 227
SM-6586 (methyl 1,4-dihydro-2,6-dimethyl-3-{3-(*N*-benzyl-*N*-methylaminomethyl)-1,2,4-oxadiazolyl-5-yl}-4-(3-nitrophenyl)-pyridine-5-carboxylate) 165
Smooth muscle (ileum) 171
Smooth muscle (vascular) 129
Smooth muscle cell (human aorta) 313
Smooth muscle cell (mouse aorta) 353
Spinal reflex 385
Spontaneously hypertensive rat 121, 241
Spontaneously hypertensive rat (pithed) 295
Squirrel monkey 93
Staurosporine 17
Striatum 143
Substance P 53
Superoxide dismutase (brain) 279
Supraoptic nucleus 181, 461
Sympathetic neurotransmission 285

Taurocholate 479
Tauroursodeoxycholate (UR-906) 125
Terguride 269
Testis 65
Thapsigargin 83
Theophylline 415
Thoracic aorta (rabbit) 1
Thrombi (aged) 9, 319
Thrombolysis (carotid artery) 135
Thrombolysis (coronary artery) 9
Thrombolysis (intracoronary) 319
Thrombosis (copper coil-induced) 9
Thrombosis (electrically-induced) 135
Thromboxane A_2-receptor antagonist 433, 521
Tissue (rat) 165
Tissue renin-like activity 109
Tissue-type plasminogen activator (t-PA) (modified) 9, 135, 319
Tolerance 513
Transmural nerve stimulation 285
Tumor (human breast) 27
Tumor necrosis factor-α 327, 361

Ureteral peristaltic function (rat) 503

Vasopressin 181, 461
Vasopressin V_1-receptor antagonist 447
Venous tone 41
Ventricular tachycardia 399

Wheal response 93

Y-25130 ((±)-*N*-(1-azabicyclo[2.2.2]oct-3-yl)-6-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-1,4-benzoxazine-8-carboxamide monohydrochloride) 377
YM-14471 (2-2{-[2-(diaminomethyleneamino)thiazol-4-yl]methylthio}ethyl-5-[3-(diethylamino)propyl]-6-methylpyrimidine-4-one trihydrochloride) 345